EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	1	"20080185922"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/07 17:10
S7	960	310/36.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/07 17:28
S8	33	S7 and (razor$3 or toothbrush$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/07 17:40
S9	80	oscillati$4 and stator and rotor and torsion and (tuning or adjust $4) and resonant frequency and shaft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/04/07 18:17
S10	79	oscillati$4 and stator and rotor and torsion and (tuning or adjust $4) and resonant frequency and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/07 18:17
S11	4	S10 and (razor$3 or toothbrush$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/07 18:17
S12	79	oscillati$4 and stator and rotor and torsion and (tuning or adjust $4) and resonant frequency and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 09:31
S13	15	S12 and (hollow near shaft)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 09:31
S14	960	310/36.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 09:32
S15	10	S14 and (hollow near shaft)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 09:32
S16	3	"5528411"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:32
S17	43	"5613259"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:32
S18	12	"4543718"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:33
S19	19	"4187452"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:33
S20	7	"3491258"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:33
S21	400	"310".clas. and (razor $3 or toothbrush$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:54

S22	15	S21 and coil$3 and magnet$3 and torsion and (tuning or adjust $4) and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 10:55
S23	15	S21 and coil$3 and magnet$3 and torsion and (tuning or adjust $4 or tension) and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 11:29
S24	43302	(razor$3 or toothbrush $3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 11:32
S25	46	S24 and coil$3 and magnet$3 and torsion and (tuning or adjust $4) and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 11:32
S26	460	S24 and coil$3 and magnet$3 and circuit $3 and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 11:35
S31	192	310/68R.ccls. and circuit board$3 and (screw$3 or fastener $3 or bolt$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 14:17
S32	19	310/68R.ccls. and circuit board$3 near2 (screw$3 or fastener $3 or bolt$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 14:18
S33	256	310/68R.ccls. and circuit board$3 and stator	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 14:21
S34	153	S24 and torsion and (tuning or adjust$4 or control$3) and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 14:52
S35	2102	S24 and (torsion or tension or friction) and (tuning or adjust$4 or control$3) and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 14:52
S36	287	S35 and (torsion or tension or friction) near2 (tuning or adjust $4 or control$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 14:53
S37	1607	S35 and (screw$3 or nut$3 or bolt$3 or clamp$4 or fasten$4)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 16:51
S38	1607	S37 and (torsion or tension or friction) and (tuning or adjust$4 or control$3)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/04/08 16:52

| S39 | 257 | S37 and (torsion or tension or friction) near2 (tuning or adjust $4 or control$3) | US-PGPUB; USPAT; USOCR | ADJ | | OFF | 2009/04/08 16:52 |

4/8/2009 5:16:38 PM
C:\ Documents and Settings\ jkim3\ My Documents\ EAST\ Workspaces\ Motor-C\ motor-21 \ 10577203.wsp